





HANDBOOK NO 4 * 54mm Toy Soldiers * Fantasy Ready Made 25mm Napoleonics
 Fantasy Army Moul

COLLECTING TOY SOLDIERS * WARGAMES * ROLE PLAYING GAMES AN INTRODUCTION TO WHITE METAL CASTING *PAINTING OF MINIATURE



54MM FOR COLLECTORS Page 20 30याहित

satisfying hobby for the discerning collector. Cast, paint and convert * a most REDODE

Page 18. HANDDOOK NO 4

54MM TOY SOLDIERS

enjoyment which may be had out of casting, painting, and gives you a comprehensive guide to the many hours of wargaming, fantasy gaming and assembling a collection. playing with our full range of moulds; recreating battle scenes

THE 1986 NEW RANGE OF PRODUCTS

54MM TOY SOLDIERS

25MM WARGAMING

Page 10.

With our moulds you can afford to command that large army you always dreamt about.

FANTASY

Page 8.

figures for the characters and moulds for the large army. The range include both ready made

40MM TOY SOLDIERS Page 14

paint and therfore very suitable for beginners. These soldiers are easy to cast and

CHESS SET

Page 22

prestigious and rewarding hobby Cast your own chess set our most

Band - available from February, 1986 Colour party - available from February, 1986

WARGAMING.

Napoleonics - available from February, 1986

Several new ranges available later this year!

FANTASY

New ready-mades - released monthly CHESS

The Orc Berserker Army - available from February, 1986

Staunton - available February, 1986

Fantasy - available February, 1986

O

Antiquing. Casting. Painting TECHNIQUES 4 2 8 S S S

Dungeon Builder HOBBY APPLICATIONS antasy Moulds.

character figures. Introduction of nev

Range of Napoleonics Prince August Castles. 40mm Toy Soldiers. 14/ 40mm Toy Soldiers. 18/ 54mm Toy Soldiers. 18/ 54mm Toy Soldiers. 20/ Chess Sets. Napoleonic Wargaming, 10
Range of Napoleonics, 12
Prince August Castles, 13
40mm Toy Soldiers, 14/15 Non Military Fault finding chart. Metal Information. GENERAL INFORMATIO Distributors. Club Prince August. Prince August Express Mail Service Accessories.

White Metal Casting Techniques



HOW TO CAST.

cooker, a match, pliers, small knife or file. You need a Prince August starter kit, domestic gas or electric

POINTS TO REMEMBER

- Cover the work area with a piece of paper
- Handle the hot metal carefully
- If you don't clean up after you, you might not be allowed back into the kitchen
- Metal spilled on cooker should be removed when cold. Polish with steel wool



of the mould. Or use two clamps, one at each end in the centre. and long moulds use two against mould, and clamp mouldswith talcum preparing inside Prince August rubber hardboards, rough side Assemble the mould with loose powder. powder. Clap moulds Use a cotton pad hard together to remove For large



crisp castings home use. It is one of the best casting alloys on the market and even a beginner will get clear This is an alloy of tin, lead and bismuth. Its low melting point of 138c makes it particularly safe for

Standard Metal


alternative to Model Metal but will not produce as fine details unless you are very experienced You can also use other white metals as described on Page 26. This is an alloy of tin, lead, bismuth and antimony and melts at 210c. It is a more economical

Hints for Fine Details

- Check that temperature is right
- Tap the mould hard [vibrate] with a tool i.e. pliers while pouring the metal and for 10 sec. after
- 3. Cut an airvent in the mould from a high point i.e. weapon, hat. Use a hobbyknife to cut a
- 1-2mm V-channel to the top of the mould

Metal Casting

match indicates correct to test the temperature metal for about 5 seconds damages the mould. smoking indicates over temperature. Excessive Slight smoking of the Dip a used match into the Heat the metal on stove. makes bad castings and heated metal which



unlikely event of a bad melted again. In the over with a small knife or channels with pliers. cut off ingates and Release the casting casting, consult our file. The ingates can be figure drawing as a mode necessary. Using the bending the mould it faultfinding chart on



Casting

minute. mould to shake metal top. Tap lightly on the into the mould, fill to the down. Allow to set for 1 Pour the metal quickly



This is how your

Cutting an Airvent

a part that is not filling properly, this is because If you have a problem with which you cut with a sharp an airpocket has formed missing part to the top of hobby knife from the The cure is an airvent

show you how to paint following pages we will



BRITISH BOARD OF TRADE RECOMMEND THE FOLLOWING SAFETY PRECAUTIONS

- 1. Keep away from food when moulding. Do not use cooking utensils
- The metal should only be heated in ladle provided.
 Hot metal can burn. Kits should not be used by young children
- 4. Allow metal, ladie and moulds to cool naturally. Do not use water to cool
- 5. Do not leave a ladle with molten metal unattended.6. Do not overheat the metal.7. Keep out of reach of young children who might such or chew them. Not suitable for children.
- Wash hands after using kits and clear up any waste material



when you are painting is the brush. We recommend Prince white paint, a match, surface cover. The hairbrush and a cheap brush no 2 for undercoating glue pads or clear Pactra etc, thinners. You need hobby paints no 00 or sable nost important thing e Molak, Humbrol. August Super Detail

adhesive to hold the figure while painting with a glue pad or Stick the figure on a piece of hardboard

and allows the top coat to be applied more metal primer with a cheap brush. This evenly. Leave to dry prings up the details

control use only the tip of the brush for each stroke. Start painting targe areas with light colours i.e. white trousers, horses, labes etc. As these colours could easily be painted over with darker. drying follow with darker colour. At this stage it is important to create a sharp you don't need to

paint by lifting a drop of paint from the bottom etc. Use concentrated natch to a piece of on the tinlet with a astly add details like buttons, moustaches

practice your character could look as After a few days



Prime the figure with matt white paint or

00 brush For best paint



ANTIQUING

cabinet or mantel. transform your castings into these lew simple steps will suggests normal ageing with a patina of black that figures in the original metal ligures that will grace any For those who prefer their

1. Clean the figure in the

for 5 minutes black paint and allow to soak normal way. Cover the figure with gloss

the paint until the required With a soft cloth wipe off

polish with a cloth. Allow to dry and then finish is achieved.





arade range his soldier is from our On



shading and highlights use a naturally lighter or darker colour - for instance orange as extremes of light and shade you see on the full-size man [or orcl]. To reproduce this effect more realistic effect than plain blocks of colour. The principle is that a 1" tall figure can If you wish to improve the appearance of an individual figure, then "shading" it gives a shaded yellow or crimson as shaded red. you must paint on dark and light shades of each main colour. When mixing colours for the have very little depth, and the shadows formed in hollows and recesses do not create the

very dilute "wash" of black with thinners over the figure When this has dried, brush a the undercoat stage above The paint should outline Prepare your figure as far as

when this is dry, black out all elf [CH5/679] is at this stage with a normal mix. The silvan metal armour and equipment each element but shade

before the basic colour, before the paler highlight outer surfaces recessed parts to the easier 1. Work from the difficult Do the darker shade

Generally follow two

sequences

all the large areas a darker shade of the colour planned to be grey, so dark grey is below the chainmail which is ensure an even colour. Do applied to the whole cloak to most difficult part is the cloak Thus on our example the



the internal folds and colours on normally, leaving thinners are absorbed, then and wipe it until most of the main colour on an old brush recesses showing the dark You may paint the main shade; or take some of the

using this method now. from top to bottom over the part to be painted. The paint will take only on raised or flat Metal armour should be done showing the darker shade surfaces leaving recesses draw the brush repeatedly





-antasy Moulds

great strength, stealth or wisdom and kitted out with weapons and other items. perhaps, or any other from the choice available. The character is endowed with certain qualities Each player thinks up a character which he/she would like to be, a warrior with great courage and Set in a world of magic and Fairy-tale, fantasy role playing makes a unique and absorbing hobby fighting skill maybe, a magic-user with spells and great knowledge, an elf from the green woods

strange islands, or discover secrets buried in ancient tombs. In fantasy anything is possible and steal a dragons treasure hoard, or free a threatened village from marauding goblins, sail to Through their characters, the players can then explore this strange and magical world, attempt to

Fantasy figures are divided into two basic no adventure is like the one before.

the game. This category comprises in list) and non-player figures which groups, character figures (designated "CH" adventurers will meet and possibly fight in human and non-human races. monsters, animals, ghosts, evil creatures,

make them more "real". Past adventures should give them names and brief life stories is a typical party of adventurers: special items, magic ring, swords etc. Here may have enabled characters to acquire to provide basic motivations for them and When choosing characters to play, players



2 ARTON

and is invaluable in any fight. He once slew is a human fighter of great strength and always fight first and ask questions later to evil Necromancer Cycorax. He is very found amongst a treasure hoard belonging magical sword of great power which he reputation. He is the party's muscle man prone to loose his temper quickly and will two trolls single-handed. He posesses a



TAROSTAR

is a magic-user and a natural leader for the several very useful spells. the language of many animals and posesses speaks their language fluently. He speaks with the elven people of the Great Forest and popular and well liked. He is on good terms problems and complete honesty make him party. His cool-headed approach to



ARIONAR

worships nature and the life-force in growing she draws power which enables her to heal forest dwelling wild animals. From her diety and she has taken an oath never to slay things, woods and plants are sacred to her is a cleric and a priestess of a religion which

rantas)



"The Bagman" is a thief and cat burglar and

disarm secret traps, find hidden doors and

the party. His services are required to definitely the most untrustworthy member of

pocketing most of the loot for himself

keep a close eye on him he would be panels and to pick locks, but if Arton did not 4. ODROS

PAZ STARTER ENCOUNTER SET

skeletons, 3 goblins and a gnoll, take on 3 orcs, 3 particularly suited for Contains a gang of 10 monster figures

suited for new adventurer Ranger, Paladin, Fighter, Barbarian, Hafling, Wizard, Cleric, Et. Contains a selection of 10 figures particularly

ADVENTURE SET

AR 1 CATAPULT with





SOUTH STATES

Contains ladie clamp 2 hardboards talcum. 125gr Modelmetal. Moulds for skeleton. goblin fighter, dwarf KIT 12006

KIT NO. 11006 MOULD KIT 673

-690 - 690

It belongs to Le Character or Friend & Foe, name of figure. plus price and product single blister packs
Each pack is marked
with the main category There are over 100 ready made figures available. Most of them available in start with RM and goes between 1-6.

nandy for transporting your figures when they ready-made figures are also available in boxed sets with foam have been painted Prince August

Wargaming



enables the wargamer to create huge and highly detailed fantasy armies at and other personalities can be bought singly, already casted. figures at small cost whilst special figures such as Standard Bearers, generals, accompanied by a specially designed set of pre-casted figures. Each set of moulds in the forthcoming "Fantasy Commands" series will be minimal cost, using a combination of moulds and ready casted figures. "Fantasy command" is a completely new system devised by Prince August which The bulk of the armies can be cast in moulds which will yield huge numbers of



Prince August Moulds





WIELDERS. ORC CUDGEL

ORC ARCHERS



ORC CHIEFTAN.

SWORDSMEN.



ORC STANDARD BEARER.

ORC CHAMPION.

rage 10.

Napoleonic Wargaming



use so little metal compared to 40mm or 54mm figures. However, our ones; and it is as much fun to cast them as it is to play with them. You Modelmetal. you get up to 12 foot soldiers or 4 horses plus men out of one ingot of younger friends might find them a bit small to paint. As a guideline can also use 25mm figures for dioramas. It is very economic as they can identify your units and small enough to be displayed in their the pleasure of modelling. Most war games are played with 25mm home casted figures are over 60% cheaper than commercially casted moulds you can afford to command those large armies because thousands on a dining room table. With Prince August kits and fully-round soldiers, a size big enough to give plenty of detail so you This is a hobby for those seeking the challenge of a game as well as



STARTER KITS.

tool kit no.1400 or you can buy our complete more moulds of your choice and the casting You can start this hobby by buying one or

we assume you already have. cooker, pliers and a small knife or file which you need besides your kit is a domestic

kit no.12005 including moulds. To cast, all





hardboards, bag of talcum, 75g Modelmetal KIT 1400 Contains: ladle, 2 clamps, 6

Grey and horse. Modelmetal moulds of British Footguard/Scots hardboards, container of talcum, 125g KIT 12005 Contains: ladle, clamps, 2

and large mould packs contain mould, illustration the hardboards having been There are 3 different sizes of moulds. Small

already supplied with casting tool kit no. 1400 or accessory pack no.2051









507-516 519-522



518 523

Napoleonic





WAR GAMING

One of the most popular and colourful periods in the history of Wargaming is the fighting of battles of various historical warfare is the Napoleonic, 1804-1815 and the Prince August periods, using miniature armies of 25mm ligures. range of "Waterbo" wargame figures enables you to create involved, at very low cost. infantry, cavalry and artillary units of the major countries

the beginning of each round and then move their various units there are special rules for hand-to-hand combat. Both players the different weapons involved: muskets, cannon etc., and Wargames are a scaled down version of a real battle. The acting as the commanders-in-chief write down their orders at repower and range are calculated using similar methods for ntantry having a larger movement than say, Heavy Infantry varies for the different troop types involved; cavalry and Light igures have a certain movement allowance each round, which

> General and retreat from the field completely! are also taken into account so that some recently defeated units, if they fail the "morale check", may decide to ignore their accordingly. To make it more realistic, such things as morale

wargame is a large table or similar area, a steel ruler, some dice and some rules, which can be bought in most hobby shops. addition to the Prince August system, all you need to set up a The most widely used sets are published by Wargame is well rewarded by many hours of fun and enjoyment. In painting up your armies and familiarising yourself with the rules This is an absorbing hobby and a little initial effort put into

But there are many others on the market to cater for varying tastes Research Group

Rules and Useful Books:

Wargames Research Group Rules 1685 - 1845: Donald Featherstone: Battles with model soldiers


Above books are available from:

ATHENA BOOKS, 34, Imperial Crescen Doncaster DN2 5BU Town Moor,






age 12.



Prince August



THE LONG SIEGE

The French army had been holding Brunswick Castle under siege for nearly ten

to find out what is happening in there". After two hours the scout came back. "Sir, could not even get near to the castle", he explained to the General. "Look here, "I can't understand why they are not surrendering", said the French General they shot a hole in my hat when I came too close". They must be without ammunition and food by now. "Sergeant, send a scout out

"Get the men to build ladders and we storm the castle by sunrise" "Sacre bleu!", shouted the General. "Captain, prepare an invasion for tomorrow"

The following morning was dark and the rain was pouring down. However, this

did not matter to the general. He had made up his mind to take the castle that day.

passed from man to man and the troop with the ladders were slowly moving forward, hoping to take the castle by surprise Forward", he whispered to his second in command. The signal was quietly

seen them. The ladders were raised and the men started to climb. They reached the castle wall without anyone inside the castle seeming to have

Brunswick and his heavy cavalry. At the same time hundreds of muskets came Rattle, rattle, bang, the men heard. Down came the drawbridge to let out General

over the wall. Castle you can have a new battle every day. What happens next we leave up to your own imagination. With a Prince August



construction will withstand the wildest battle The Castles are made of hardboard and come already assembled. The sturdy



10mm Toy Soldiers

choice for a beginner particularly for our younger enthusiasts. See centre spread continental style of toy soldier. They are this type of mould produce the traditional called semi-flats, which means that they This range is our largest and the obvious look round in profile but not from the for selection nos. 11-73. Castings from front. The advantages with such a

> and will entice anyone to recreate those play with. The figures are full of action paint, economical on metal and strong to design are that they are easy to cast and famous battles.

of Modelmetal standard metal. or about 2 horses riders from one ingot As a guideline, you get 5-6 footsoldiers

STARTER KITS

or file which we starter kits. All you hobby with any of our pliers and a small knife are a domestic cooker need besides the kits You can start this assume you already





Standardmetal, jar of talcum, 2 moulds of 2 hardboards, 125g Contains: ladle, clamp

THE PERIOD.

A SHORT HISTORY OF



Contains: ladle, 2 KIT 1300

clamps, 2 hardboards, 375g Standardmetal, jar of talcum, moulds of 2 tootsoldiers, canon. horse and nder

Nos 11, 21, 26, 28, 32, 36-38, 48, 49, 51-57, 60-65, 71-72.

Large Moulds

MOULDS.

ROSSBACH 1757, colour illustration and pack contains 1 mould sizes of moulds. Each There are two differen accessory pack no.2051. One set of you can get them in hardboard already don't have the any hardboards. If you 2 hardboards, except boards will do all your which do not contain



Small Moulds

50, 58, 59, 60-70. Nos. 15, 22, 23, 24, 33



No.73 ouble Mould

expense. A third theme running through overseas Empires at each others and India, in order to enlarge their other Eastern European states become by destroying the might of the as a great power, which she could only the period is the emergence of Russia whom fought unsuccessfully against her Sweden, Poland and Turkey, all of

Britain and France fought many colonia

leading power in the German Empire.

wars, in places as far apart as Canada

were lought to decide who would be the Succession War and The 7 Years War, Prussia and Austria. The two most important powers were Britain, France, in the eighteenth century the most

important wars in Europe, The Austrian



RECREATING BATTLES WITH TOY SOLDIERS


step. During this period certain basic formation was used in battle which was common throughout different countries. The uniforms were also very similar mould, not only your own army, but also that of your enemy Only the colour schemes varied. This means that you can create from the same The following collections give you an idea how to build up a large battle step by

COLLECTION 1: INFANTRY

the following moulds: also in your collection. You make a platoon from The infantry was the base in most armies and so

No 15 Musketeer - you need 48 No. 50 Officer - you need 2 No 22 Drummerboy - you need 2 No 21 Standardbearer - you need 2

English infantry. Use colour illustration from no. 15 to paint them as





COLLECTION 2: CAVALRY

moulds will create a cavalry unit. cavalry was also very successful. The following king who could afford to command a large force of The cavalry was most important in those days and a

No. 11 Charging Trooper - you need 30 No. 26 Trumpeter - you need 2 No. 28 Standardbearer - you need 2

Paint your cavalry as your French enemy no. 28

COLLECTION 3: NEW ARTILLERY

formidable firing power. into position. Once in place, you will have artillery and you will need a strong crew to move it Our new 12pdr. cannon is a massive piece of

No. 72 Crew - you need 3 + 3 No. 71 Crew - you need 3 + 3 No. 73 Cannon - you need 3

illustration from mould no. 15. Paint your artillery crew as English using colour



TOY SOLDIERS ON


PARAL

TOY SOLDIERS ON PARADE



to make a variety of regiments, and the moulds themselves can be casted over and over again so that full sized as they do, military precision and smartness, with all the pomp and grandeur of military music. The Prince August Bands have always been a popular item for the Toy Soldier Collector and the military enthusiast alike, combining bands can be made at little cost land effort. with the marching or standing bodies from Kit No.800 to create a band. The choice of heads available enables you Toysoldier Band Kit contains moulds for different instruments with appropriate arms. These are used together

generally applicable to the British Army. The composition of bands differed in small details from regiment to regiment but the following guidelines are



BAND LAYOUT

In a large band six to eight soldiers would march abreast.

The colour party (Kit No.801) is another extension set for (Kit No.800) the standing and marching Toysoldiers. The ensign carry the Queen's colour and the regimental colour, and are flanked by a guard of honour, standing to

An officer stands before two standards with his sword held down in "salute" whilst another officer salutes by his attention.

H	TR	Ħ	TR	H	TR	
Ħ	TR	Ħ	TR	TR	TR	
Ħ	TR	TH	Ħ	TR	TR	
Ħ	TR	Ħ	TR	TR	TR	
Б	БВ	SB	SE	ГВ	Ш	
LB	В	SB	SB	LB	ГВ	
LB	ГВ	SB	SB	В	Б	
В	ВП	SB	SB	LB	E	
S	S	TI	П	S	S	
S	S	П	П	S	S	
S	S	П	П	S	S	
co	co	П	П	S	S	

BM



SET NO.802

act set. Micales for ing and at attention ins variety of heads."

SET NO.801

SET NO.803

Band 2. These moulds with Kit. no 800 will make





BAND LAYOUT

Please note layouts can alter according to country and band master.



	9	2	9	2	
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
0	0	0	0	0	0
FL	F	F	尸	무	日
H	FL	H	TH.	H	日
P	FL	FL	FL	F	日
卫	P	P	卫	P	卫

For Collectors

Collecting 54mm soldiers is a hobby we can recommend to anyone who wants to relax in their own home with an interesting pastime

bookshell for the admiration of your friends. how your patience develops as you become absorbed by the soothing effect of this You may think that the pieces look too small and complicated but you will be surprised building dioramas. Your final result quite often finds a place on your mantelpiece or hobby. There are many aspects of this hobby as casting, painting, researching and

get hours of pleasure for every pound spent. You can see the range on the centre Prince August Collecting 54mm soldiers doesn't make a big hole in your wallet and you spread nos. 401-412

As a guideline you get 2-3 soldiers from each ingot of Modelmetal We recommend that you use only Modelmetal for this range

HOW TO START

this as we have already mentioned, is a domestic cooker, pliers, a small knife or lile You buy a casting tool kit no 1400 and a mould of your choice. All you need besides ne hobby paint and brushes.









Modelmetal hardboards, bag of talcum, 75g Contains, ladle, 2 clamps, 6

KIT 1400



Nos 401-405; 407-412; No 406

colour illustration showing both front and back views

ASSEMBLING A 54mm SOLDIER



tit well logether mat the neck is not trimmed short parting line. A common mistake is parts from the ingate with a pliers enough. Make sure the pieces rim the joints and any flash and TRIMMING. Cut off the

body tootplate, head and weapon have a casting which consists of a

allowed our instructions, you now

full the casting carefully from the



together until the glue has set or Hyperbond, 5 min Epaxi or glue is setting. Do not glue the put on a piece of plasticine white Superglue Hold the peices swords until painted GLUEING, Use Bostik

KIT 413-

54mm For Collecto



Standard Bearer Circa 1757 connoisseur has come to expect. The latest figure in this series is a mounted Prussian Cuirassier scale. These figures are fully rounded and contain the wealth of detail and precision that the For the collector and military enthusiast Prince August has a large range of moulds in 54mm

after casting attached after the casting is complete. The horse is also cast in two sections and is assemled Swords, pistol housings and standard pole are casted separately from the main figure and Cuirassiers were some of the most impressive troops in the Prussian Army in the age of Frederick The figure has been meticulously researched and comes in a kit containing three moulds

he Great

They were classed as "Heavy Cavalry" and were used to crush enemy cavalry and peice the

the line and one "Garde du Corps" regiment detailed ready-made model at a fraction of the cost of a similarly finely in the Prussian army can be casted from one kit standard bearer from every Cuirassier regiment standards. There is also the special standard Cuirassier regiments, and a sheet of printed contains painting instructions for all 13 regimental colours. The Prince August kit each with its own distinctive standards and In all there were twelve Cuirassier regiments of pole for the "Garde du Corps" so that a mounted



hess Stac



heavy balanced feeling? When you saw the price tag you probably said: "I cannot afford that!". However, now you can afford it without chess mould kits. In a couple of evenings you can make a complete set of 32 peices. It is so easy that anyone can manage it, and you will probably find it so enjoyable that you will make a few more to give away as Have you ever admired a metal chess set for its beauty or its

valuable gifts. Picture: 3) chess kit.

You can start this hobby with one of our Chess Mould Kirs. You also need a Starter Kit No.1400 if you do not have our casting equipment already, plus 2 packs of Modelmetal or Standard Metal.

We assume you already have a domestic cooker, pilers, small knife or file, steelwool, paints and brushes.





staunton chess set.



Kit 707 Kit 708 Secret until Summer 1986. Fantasy King approx. 56 mm high



Kit 700 Staunton King approx. 65 mm high.




For people who like something non-military we have a range of moulds with animals, cowboys and indians. The figures are 40mm scale and fully rounded except Nos. 203, 208, 209 and 211, which are semi-rounded.

of modelmetal or standardmetal. As a guideline you get 3-4 foot figures or 1 horse from one ingo

You may start this hobby with a casting tool kit no.1400 and the mould of your choice.

3 dogs, fox, paints and paint brush. our hunting scene Kit no. 110 which contains moulds for rider A particularly attractive mould kit for the riding enthusiast is





Fault Finding Chart

Metal is not flowing into all parts	Smoke coming from ladie	Metal not melting	PROBLEM.
			CHECK.
No talcum powder. The mould needs a thin coat which helps air to escape. Too much talcum powder is blocking the details. Metal not hot enough. Test temperature with a match. Metal is too hot. Smoke gases are pressing metal back. Mould needs an airyent. Make a hole right through mould half in the missing part with a 1-1. 5mm drill bit or a yawl. You can also make a very small channel from the missing part to the top of the mould. Use Modelmetal. No other metal casts as well. Do not use a vise for clamping the mould, because it will lock the air into the mould. Use Prince August Clamps or rubber bands. Use Prince August Clamps or rubber bands. Use Prince August Talcum. Not all falcum powders are suitable. Pour the metal to the top of the mould to get full gravity pressure.	 The ladle is covered with a rust profector which will burn off for the first five minutes. No action necessary. 	 Use a gas or electric cooker on high unti- metal is molten, then reduce heat. Do not try to melt the talcum powder; melt the badge or bar. 	ACTION.
ـــــ د د		ω	Para. No.

PRINCE AUGUST MOULDS LIMITED,
Killnamartyra, Macroom, Ireland.

The next time you are touring Ireland, call in to our factory shop for moulds, accessories, brushes!!!

Please write to us att.

Killnamartyra, Macroom, Ireland.

Killnamartyra, Ma

* Casting in our moulds is normally very easy. However, should you have a casting problem, consult our fault finding charts. Look up your problem in the left-hand column. See what possible action to take in the action column. In the right-hand column you will see what instruction paragraph on page 2-3 you should read up on again.

Fault Finding Chart

Lage 23

Part of figure buried in the mould half	Mauld exploding	Mould leaks	Flash on casting.	Smoke coming from mould while pouring.	PROBLEM.
					CHECK
 It is guite normal on a complex figure. It is sometimes necessary to cut or drill an airwent into the detail. 	Do not cool mould or metal with water. Even a small amount of dampness could be dangerous.	Mould not clamped right. Use one clamp with pressure point in the centre or two clamps at each side. For certain big moulds it might be necessary to use four clamps. Check if there is a gap between mould halves. When opening the mould you might have bent the mould getting a casting out. Rectify this by bending halves towards each other. You have not put the hardboards on the mould. This is essential to apply even pressure. Put a clamp over the leaking point. If above actions don't help, do the following: Where the metal is leaking from the figure, cut a v-shaped airvent going to the mould with a hobby khile. It stops the escaping air from parting the moulds while pouring the metal.	Mould not clamped right. Use one clamp with pressure point in the centre or two clamps on each side. Mould too hot in the centre. Leave mould to allow heat to spread evenly.	Metal too hot. Melt more metal to cool and , check temperature with match. No talcum powder on mould. Powder mould.	ACTION.
		N N	4 N	<u>-</u> ω	Para. No.

Type of Metal	Melting temp	Casting	Details	Success	Strength of casting	Mould life time	Price range	Available from	Comments
Modelmetal	140°C	200°C	100%	909.	50%	300-1000	High	Prince August Stockrsts	Best casting metal on the market
Standardmetal	230° C	325° C	80%	70%	50%	100-500	Medium	Prince August Stockest	An economical alternative to modelmetal
40% tin 60% lead	230°C	300°C	60%	60%	70%	100-500	Medium	Some Hardware Stores	A good all mund rhetal
48% tin 2% antimony 50% lead	185 C	275 C	8Ch	70%	90%	200-1000	High	Some Hardware Stores	Very line metal limish. Suitable for antiqued figures
Linotype Printers Metal	230°C	300°C	40%	459	50%	100-500	Low	Some Printers Scrapdealers	Recommended if you want quantity instead of quality
Monotype Printers Metal	230 °C	300 °C	60%	60%	40%	100-500	Lów	Some Printers Scrapdealers	Recommended if you want quantity instead of quality
Lead	312 C							Old Pipes Old Bullets Tyre Weights	Not suitable
90% lead 10% fin	235°C	300 C	40%	40%	560%	100-500	Cheap		If you have lead scrap you can add tin to make into a suitable casting metal.
2 part lead 1 part modelmetal	\$50VC	300 C	45%	45%	50%	100-500	Cheap		If you have lead scrap you can add modelmetal to make it in suitable cashing metal.
White Metal	185-275°C								All fin lead alloys is called white metal. Might be suitable.
Pewter .	240°C	300 €	200	20%	90%	100 500	Very High	Some Scrapdealer	Not very suitable
1 part pewter 1 part lead	190°C	275°C	750	653.	90%	200/1000	High	Some Scrapdealer	Very fine metal finish
Solder	180-230 C						Medium High	Hardware Stores	Depending on alloy could be very suitable
Zinc									Not suitable
Aluminium									Not suitable
(ron									Not suitable



Metal Information

This chart will give you an idea of what other low melting point alloys you can use for casting. If you have some scrap metal in the form of lead flashing, tyre balance weights, solder etc. After a bit of experimenting you can achieve satisfactory results particularly if you compromise a little on the quality to get a really large army. Ratings and lifetimes are only given as an average for all moulds. Certain moulds, particularly the 54mm range and fantasy, are much more difficult to cast. How the metal enters a mould:

First, the metal goes to the bottom of the mould. At the same time as the metal goes in, the air has to be passed out, either by going out back through the ingate or through the moulds parting line. Most air goes out through the parting line helped by the microscopical channels the talcum powder creates and a slight opening of the two halves allowed by the flexible Prince August clamp. As you are pouring, the metal is increasing the pressure on the air to escape with gravity fore. It is therefore important that you fill the mould to the top and also have the metal so hot that it is still liquid in the bottom when it reaches the top of the ingate. As the moulds do not withstand temperatures over 375 C you can see one of the reasons why higher melting point alloys do not produce as good a result as lower melting point ones. If you cut airvents, the moulds will fill faster as the air goes out faster, thus making it more suitable for higher melting point alloys. When you cut airvents remember that, once the metal has reached the level of the airvent, it blocks the vent. So you might have to cut several airvents to achieve perfect results. If you cut very fine channels, they will not be seen on your finished casting or destroy any details. An airvent will not reduce the life-time of the mould.

Accessories

2041 Clamp, made of chromeplated steel wire 2040 Talcum powder in a handy plastic jar with dusting pad. Lasts for hundreds of castings.

2042 Ladle, holds 2 ingots. Suitable for both casting. to give the right pressure for problem free gas and electric cooker.

2047 Modelmetal, 125g ingot 2046 File, a special file for white metals

2048 Modelmetal 375g ingot

2050 Paper flags, 6 unpainted flags for mould

types of moulds. 2051 Hardboards, set of 6 boards to suite all

2052 Brush super detail No.00.

2053 Brush super detail No. 1.

2054 Brush super detail No.

for kit no. 413. 2055 Standards, set of 27 unpainted standards

2056 Flags, set of unpainted flags for moulds

economical alloy 2058 Standard Metal 375g ingot. Our most



















No. 630 - DUNGEON BUILDER BASIC

4 floor sections, 2 plastic printers, instructions and plans Contains: 3 rubber moulds for 4 walls and





Contains: 750grams fine casting plaster No. 532 - DUNGEON BUILDER PLASTER

ungeon


Page 29

here is a system that won't slide around the table or knock you sardboard cutouts for floor layouts in your Dungeon? or and wall sections so that you can construct in three mply bored with your simple board? Tired of using curly s into position and insert your wall sections in the gaps as ites ever. Dungeon builder is the set with which you cast irls Dungeon areas of any size. Simply glue your floo 3D, versatile and reuseable. Wel

adily mass-produced. It takes no great skill to turn out riect pieces. With each 750g pack of plaster you will, for can build any dungeon layout necessary. Each section is thick and has a stone finish on both sides. Cast in is with fine casting plaster they are easily made and eight sections from the Dungeon Builder Basic Set be able to cast 28 wall sections or 42 floor tiles

E YOUR SYSTEM:

sewildering maze to capture a weary party of dungeon ize area can be built, whether it is a tiny cell for entrapped sungeon simply insert your wall or doorway peices into the take a locato, say 760mm square, and onto this glue your floor lies, leaving an 8mm gap between them. To build your aps or else fill them with the appropriate floor inserts. Any renturers, a throneroom for the Hobgoblin king or a



831 - DUNGEON BUILDER ACCE

metalcasting. Contains: 1 rubber mould for a door and trap-door for